

awarded with



- patented combustion technology
- high level of comfort
- stylish design
- saves energy and heating costs
- electronic control for lowest levels of emission 14 mg/Nm³ or 9 mg/MJ



i-2060-AUT
anthracite/coffee-bean Ceramics

No 04 247 19 10
kg 189
mm 1150/660/481



i-2060-AUT
anthracite/basalt Ceramics

No 04 247 19 11
kg 189
mm 1150/660/481



i-2060-AUT
anthracite/maple Ceramics

No 04 247 19 12
kg 189
mm 1150/660/481

No
kg
mm





awarded with



- ▮ patented combustion technology
- ▮ high level of comfort
- ▮ stylish design
- ▮ saves energy and heating costs
- ▮ electronic control for lowest levels of emission 14 mg/Nm³ or 9 mg/MJ

NEW



i-2020-AUT
anthracite
Sandstone

No 04 247 18 03

kg 217

mm 1150/598/481

NEW



i-2020-AUT
anthracite
Serpentino

No 04 247 18 04

kg 234

mm 1150/598/481

No
kg
mm



i-3020/-C

WOOD STOVE



i-3020-C
anthracite/basalt
Ceramics

No 04 246 17 01
kg 161
mm 1154/555/477



i-3020
anthracite/cast grey

No 04 246 17 00
kg 163
mm 1147/555/477



- › patented combustion technology
- › high level of comfort
- › stylish design
- › saves energy and heating costs
- › electronic control for lowest levels of emission 14 mg/Nm³ or 9 mg/MJ

No
kg
mm





Optional with "maple-coloured" and "basalt" design

NOT DEPENDENT ON INDOOR AIR (ROOM-SEALED APPLIANCE)
available certified according to standards (see price-list)

(+) The first »real« 4kW-stove

The perfect solution for low-energy houses and thermally renovated buildings



Flue connection Ø 120 mm

JAVUS 201.14-C anthracite/maple Ceramics

No	04 201 14 02
kg	106
mm	997/514/392

JAVUS 201.14-C cast grey/basalt Ceramics

No	04 201 14 01
kg	106
mm	997/514/392

NEW
JAVUS 201.14-C anthracite/dark-coffee Ceramics

No	04 201 14 05
kg	106
mm	997/514/392





(+) The first »reak« 4kW-stove

› The perfect solution for low-energy houses and thermally renovated buildings



Flue pipe connection Ø 120 mm



JAVA 201.14
anthracite/cast grey

No
kg
mm

04 201 14 00
93
985/506/392



NEW



ZETA 317.15-C
black/light grey
Ceramics

No
kg
mm

03 317 16 10
142
1000/551/396





NEW



EIFEL-II 230.17-C
anthracite/haematite
Ceramics

No 04 230 18 31
kg 163
mm 1130/615/491

NEW



EIFEL-II 230.17-C
anthracite/white
Ceramics

No 04 230 18 30
kg 163
mm 1130/615/491

NEW



EIFEL-II 230.17-C
anthracite/coffee-
bean Ceramics

No 04 230 18 32
kg 163
mm 1130/615/491

No
kg
mm





NEW



NORDAL-II 249.17-ST
anthracite/Serpentino

No
kg
mm

04 249 18 11
187
1128/615/491

NEW



NORDAL-II 249.17-ST
anthracite/Paradiso

04 249 18 12
187
1128/615/491



NEW



NORDAL-II 249.17-C
brown/caffee-latte
Ceramics

04 249 18 20

163

1128/615/491

No
kg
mm



(+) Safety distance to rear wall: 2 cm only!



NEW



BREISGAU 172.17-AUT
anthracite/haematite
Ceramics

No 04 172 18 31

kg 189

mm 1140/780/635

NEW



BREISGAU 172.17-AUT
anthracite/white
Ceramics

No 04 172 18 30

kg 189

mm 1140/780/635

NEW



BREISGAU 172.17-AUT
anthracite/coffee-
bean Ceramics

No 04 172 18 32

kg 189

mm 1140/780/635





(+) Safety distance to rear wall: 2 cm only!



KUOPIO 265.17-PD
cast grey/Paradiso

No 04 265 18 02
kg 194
mm 1140/778/635



KUOPIO 265.17-ST
cast grey/Serpentino

No 04 265 18 01
kg 193
mm 1140/778/635

No
kg
mm



NEW



TAUNUS 756.17-AUT
anthracite/haematite
Ceramics

No 04 756 18 31

kg 198

mm 1036/625/540

NEW



TAUNUS 756.17-AUT
anthracite/white
Ceramics

No 04 756 18 30

kg 198

mm 1036/625/540

NEW



TAUNUS 756.17-AUT
anthracite/
coffee-bean
Ceramics

No 04 756 18 32

kg 198

mm 1036/625/540





NEW




KERPEN 232.17-ST
anthracite
Sandstone

No
kg
mm

04 232 18 02
272
1175/660/466

Radiation time with charge of 6 kg wood without adding of other fuels.





NEW




HASVIK 231.17-ST
anthracite
Serpentino

No
kg
mm

04 231 18 02
302
1197/662/466

Radiation time with charge of 6 kg wood without adding of other fuels.



XI 325.15 BP

WOOD STOVE



awarded with



XI 325.15 ST
anthracite
Serpentino-Natural
stone

No 04 325 16 01
kg 226
mm 1093/580/498



XI 325.15 BP
anthracite
Blue Pearl-Natural
stone

No 04 325 16 02
kg 246
mm 1093/580/498

No
kg
mm





RHO 233.17-AUT
cast grey/mocca
Ceramics

No 04 233 18 02
kg 156
mm 1124/510/510



RHO 233.17-AUT
cast grey/cream
Ceramics

No 04 233 18 03
kg 156
mm 1124/510/510

No
kg
mm





LEON 234.17
black/mocca
Ceramics

No 04 234 18 02
kg 156
mm 1124/510/512



LEON 234.17
black/cream
Ceramics

No 04 234 18 03
kg 156
mm 1124/510/512

No
kg
mm





NEW



MONTEGROTTO II 305.15-ST
black/Sandstone

No
kg
mm

03 305 15 06
127
1073/540/428



CERS 469.17/-ST

WOOD STOVE



CERS 469.17
anthracite/cast grey

No 04 469 17 00
kg 122
mm 1095/564/463



CERS 469.17-ST
anthracite
Serpentino - natural stone

No 04 469 17 01
kg 153
mm 1095/564/463

No
kg
mm



BILBAO 327.15
cast grey/Serpentino

No 04 327 15 00
kg 180
mm 1090/580/500



BILBAO 327.15-1
anthracite

No 04 237 15 01
kg 166
mm 1070/580/500

No
kg
mm



(+) The stone bench may be used on the left and on the right side



ASKJA 235.17
cast grey/cotto

06 013 50 03
317
1272/1183/755

No
kg
mm




UPPSALA 269.15-ST
anthracite/Serpentino

No
kg
mm

04 269 16 01
301
1209/662/513

Radiation time with charge of 6 kg wood without adding of other fuels.



STORBERG 253.17-PD/-ST

WOOD STOVE



STORBERG 253.17-PD
cast grey/Paradiso

No 04 253 18 02
kg 236
mm 1140/615/540



STORBERG 253.17-ST
cast grey/Serpentino

No 04 253 18 01
kg 242
mm 1140/615/540

No
kg
mm



HUSUM 206.15-1 cast
grey/champagne

No 04 206 15 01

kg 149

mm 1153/565/540



HUSUM 206.15
brown-metallic/black

No 04 206 15 03

kg 149

mm 1153/565/540





VISION 302.15-AL
cast grey/anthracite

No
kg
mm

04 302 15 00
139
1036/504/495





PANORAMA 255.15-AL
cast grey/anthracite
Ceramics

04 255 15 00

191

1158/518/547

No
kg
mm



VITORRE 275.15

WOOD STOVE



VITORRE 275.15
anthracite/teak
Sandstone

04 275 15 17

129

1027/550/436

No
kg
mm





DALEN 304.15/1-ST
cast grey/anthracite/
Serpentino

No 04 304 15 01
kg 121
mm 930/535/406



DALEN 304.15/2-RB
cast grey/anthracite/
Rainbow

No 04 304 15 02
kg 118
mm 930/535/406

No
kg
mm





PICO 286.12
anthracite

No 03 286 12 00
kg 86
mm 860/500/387



PICO 286.12
black

No 03 286 12 01
kg 86
mm 860/500/387

NEW



PICO 286.12-ST
anthracite/
Serpentino
Natural stone

No 03 286 12 04
kg 114
mm 882/495/383

No
kg
mm



FUEGO 287.12
black

No 03 287 12 00
kg 97
mm 957/603/479



FUEGO 287.12
anthracite/cast grey

No 03 287 12 01
kg 97
mm 957/603/479



FUEGO 287.12-C
anthracite/black
Ceramics

No 03 287 12 04
kg 93
mm 980/603/479

No
kg
mm



ANDRO 307.15-ST
anthracite/Serpentino

03 307 15 01
138
1078/548/407



ANDRO 307.15
black

03 307 15 00
105
1054/548/407

No
kg
mm





MOLDE 305.15-1 RB
cast grey/Rainbow

No 03 305 15 01
kg 133
mm 1073/540/427



MOLDE 305.15-3 ST
cast grey/Serpentino

No 03 305 15 03
kg 140
mm 1073/540/427

No
kg
mm



AARHUS 284.17/2

WOOD STOVE CLASSIC



AARHUS 284.17/2
cast grey/Serpentino

04 284 17 02
118
1030/535/450

No
kg
mm

YSTAD 282.15-2 WF

WOOD STOVE CLASSIC



YSTAD 282.15-2 WF
anthracite/silver/
Granit

04 282 15 02

83

960/550/380

No
kg
mm

BImSchV
2. Stufe



%
79



kW
3,5-7